

# Safety Data Sheet

## PRESCRIPTION TREATMENT BRAND P.I. CONTACT INSECTICIDE

Revision date : 2016/07/19  
Version: 4.0

Page: 1/12  
(30599692/SDS\_CPA\_CA/EN)

### 1. Identification

**Product identifier used on the label**

**PRESCRIPTION TREATMENT BRAND P.I.  
CONTACT INSECTICIDE**

**Recommended use of the chemical and restriction on use**

Recommended use\*: insecticide

\* The "Recommended use" identified for this product is provided solely to comply with a Federal requirement and is not part of the seller's published specification. The terms of this Safety Data Sheet (SDS) do not create or infer any warranty, express or implied, including by incorporation into or reference in the seller's sales agreement.

**Details of the supplier of the safety data sheet**

Company:

BASF Canada Inc.  
5025 Creekbank Road, Building A, 2nd Floor  
Mississauga, ON L4W 0B6, CANADA

Telephone: +1 289 360-1300

**Emergency telephone number**

CANUTEC (reverse charges): (613) 996-6666  
BASF HOTLINE: (800) 454-COPE (2673)

**Other means of identification**

PCP # 27220

Synonyms: Pyrethrins + piperonyl butoxide

### 2. Hazards Identification

According to Hazardous Products Regulations (HPR) (SOR/2015-17)

**Classification of the product**

Asp. Tox.	1	Aspiration hazard
Acute Tox.	4 (Inhalation - vapour)	Acute toxicity
Aquatic Acute	1	Hazardous to the aquatic environment - acute
Aquatic Chronic	1	Hazardous to the aquatic environment - chronic
Flam. Aerosol	1	Flammable aerosols

# Safety Data Sheet

## PRESCRIPTION TREATMENT BRAND P.I. CONTACT INSECTICIDE

Revision date : 2016/07/19  
Version: 4.0

Page: 2/12  
(30599692/SDS\_CPA\_CA/EN)

### Label elements

Pictogram:



Signal Word:  
Danger

Hazard Statement:

H222	Extremely flammable aerosol.
H332	Harmful if inhaled.
H304	May be fatal if swallowed and enters airways.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H229	Pressurized container: May burst if heated.

Precautionary Statements (Prevention):

P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P271	Use only outdoors or in a well-ventilated area.
P273	Avoid release to the environment.
P261	Avoid breathing vapours.
P260	Do not breathe mist or vapour.
P211	Do not spray on an open flame or other ignition source.
P251	Do not pierce or burn, even after use.

Precautionary Statements (Response):

P312	Call a POISON CENTER or doctor/physician if you feel unwell.
P304 + P340	IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P301 + P310	IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician.
P391	Collect spillage.
P331	Do NOT induce vomiting.

Precautionary Statements (Storage):

P410 + P412	Protect from sunlight. Do not expose to temperatures exceeding 50°C/122°F.
P405	Store locked up.

Precautionary Statements (Disposal):

P501	Dispose of contents/container to hazardous or special waste collection point.
------	---

### According to Controlled Products Regulations (CPR) (SOR/88-66)

### Emergency overview

DANGER:  
EXTREMELY FLAMMABLE.  
Explosive  
KEEP OUT OF REACH OF CHILDREN.

# Safety Data Sheet

## PRESCRIPTION TREATMENT BRAND P.I. CONTACT INSECTICIDE

Revision date : 2016/07/19  
Version: 4.0

Page: 3/12  
(30599692/SDS\_CPA\_CA/EN)

HARMFUL IF ABSORBED THROUGH SKIN.  
Avoid contact with the skin, eyes and clothing.  
Aerosol container contains flammable gas under pressure.

### 3. Composition / Information on Ingredients

#### According to Hazardous Products Regulations (HPR) (SOR/2015-17)

<u>CAS Number</u>	<u>Weight %</u>	<u>Chemical name</u>
67-64-1	50.0 - 75.0%	Acetone
64742-47-8	15.0 - 20.0%	Distillates (petroleum), hydrotreated light
68476-86-8	10.0 - 15.0%	Petroleum gases, liquefied, sweetened
8003-34-7	0.5 %	Pyrethrins
51-03-6	4.0 %	Piperonylbutoxide

### 4. First-Aid Measures

#### Description of first aid measures

##### General advice:

First aid personnel should pay attention to their own safety. If the patient is likely to become unconscious, place and transport in stable sideways position (recovery position). Immediately remove contaminated clothing.

##### If inhaled:

Keep patient calm, remove to fresh air, seek medical attention.

##### If on skin:

Immediately wash thoroughly with soap and water, seek medical attention.

##### If in eyes:

Wash affected eyes for at least 15 minutes under running water with eyelids held open.

##### If swallowed:

Immediately rinse mouth and then drink 200-300 ml of water, seek medical attention. Do not induce vomiting due to aspiration hazard.

#### Most important symptoms and effects, both acute and delayed

Symptoms: The most important known symptoms and effects are described in the labelling (see section 2) and/or in section 11., Further important symptoms and effects are so far not known.

Hazards: Vomiting may cause aspiration pneumonia due to the ingredients.

#### Indication of any immediate medical attention and special treatment needed

##### Note to physician

##### Treatment:

Treat according to symptoms (decontamination, vital functions), no known specific antidote. Aspiration of this product during induced emesis can result in lung injury. If evacuation of stomach contents is considered necessary, use method least likely to cause aspiration, such as gastric lavage after endotracheal intubation.

# Safety Data Sheet

## PRESCRIPTION TREATMENT BRAND P.I. CONTACT INSECTICIDE

Revision date : 2016/07/19  
Version: 4.0

Page: 4/12  
(30599692/SDS\_CPA\_CA/EN)

---

### 5. Fire-Fighting Measures

#### Extinguishing media

Suitable extinguishing media:  
water spray, dry powder, foam, carbon dioxide

#### Special hazards arising from the substance or mixture

Hazards during fire-fighting:  
carbon monoxide, carbon dioxide, nitrogen oxides, acid halides  
The substances/groups of substances mentioned can be released in case of fire.

#### Advice for fire-fighters

##### Further information:

Collect contaminated extinguishing water separately, do not allow to reach sewage or effluent systems. Dispose of fire debris and contaminated extinguishing water in accordance with official regulations. In case of fire and/or explosion do not breathe fumes. Keep containers cool by spraying with water if exposed to fire.

---

### 6. Accidental release measures

#### Personal precautions, protective equipment and emergency procedures

Do not breathe vapour/spray. Use personal protective clothing. Avoid contact with the skin, eyes and clothing.

#### Environmental precautions

Do not discharge into the subsoil/soil. Do not discharge into drains/surface waters/groundwater.

#### Methods and material for containment and cleaning up

For small amounts: Pick up with suitable absorbent material (e.g. sand, sawdust, general-purpose binder, kieselguhr).

For large amounts: Dike spillage. Pump off product.

Cleaning operations should be carried out only while wearing breathing apparatus. Dispose of absorbed material in accordance with regulations. Collect waste in suitable containers, which can be labeled and sealed. Clean contaminated floors and objects thoroughly with water and detergents, observing environmental regulations.

---

### 7. Handling and Storage

#### Precautions for safe handling

No special measures necessary if stored and handled correctly. Ensure thorough ventilation of stores and work areas. When using do not eat, drink or smoke. Hands and/or face should be washed before breaks and at the end of the shift.

Protection against fire and explosion:

Vapours may form ignitable mixture with air. Prevent electrostatic charge - sources of ignition should be kept well clear - fire extinguishers should be kept handy.

#### Conditions for safe storage, including any incompatibilities

Segregate from foods and animal feeds.

# Safety Data Sheet

## PRESCRIPTION TREATMENT BRAND P.I. CONTACT INSECTICIDE

Revision date : 2016/07/19  
Version: 4.0

Page: 5/12  
(30599692/SDS\_CPA\_CA/EN)

Further information on storage conditions: Protect from direct sunlight. Keep away from heat. Keep at temperature not exceeding 50°C. Keep only in the original container in a cool, dry, well-ventilated place away from ignition sources, heat or flame.

Protect from temperatures above: 50 °C

The packed product must be protected against exceeding the indicated temperature.

---

## 8. Exposure Controls/Personal Protection

**Users of a pesticidal product should refer to the product label for personal protective equipment requirements.**

### **Advice on system design:**

Whenever possible, engineering controls should be used to minimize the need for personal protective equipment.

### **Personal protective equipment**

#### **Respiratory protection:**

Wear respiratory protection if ventilation is inadequate. Wear a NIOSH-certified (or equivalent) organic vapour/particulate respirator. For situations where the airborne concentrations may exceed the level for which an air purifying respirator is effective, or where the levels are unknown or Immediately Dangerous to Life or Health (IDLH), use NIOSH-certified full facepiece pressure demand self-contained breathing apparatus (SCBA) or a full facepiece pressure demand supplied-air respirator (SAR) with escape provisions.

#### **Hand protection:**

Chemical resistant protective gloves, Protective glove selection must be based on the user's assessment of the workplace hazards.

#### **Eye protection:**

Safety glasses with side-shields. Tightly fitting safety goggles (chemical goggles). Wear face shield if splashing hazard exists.

#### **Body protection:**

Body protection must be chosen depending on activity and possible exposure, e.g. head protection, apron, protective boots, chemical-protection suit.

#### **General safety and hygiene measures:**

RECOMMENDATIONS FOR MANUFACTURING, COMMERCIAL BLENDING, AND PACKAGING WORKERS Wear long sleeved work shirt and long work pants in addition to other stated personal protective equipment. Work place should be equipped with a shower and an eye wash. Handle in accordance with good industrial hygiene and safety practice. Personal protective equipment should be decontaminated prior to reuse. Gloves must be inspected regularly and prior to each use. Replace if necessary (e.g. pinhole leaks). Take off immediately all contaminated clothing. Store work clothing separately. Hands and/or face should be washed before breaks and at the end of the shift. No eating, drinking, smoking or tobacco use at the place of work. Keep away from food, drink and animal feeding stuffs.

---

## 9. Physical and Chemical Properties

Form:	aerosol
Odour:	characteristic, of acetone
Odour threshold:	Not determined due to potential health hazard by inhalation.

# Safety Data Sheet

## PRESCRIPTION TREATMENT BRAND P.I. CONTACT INSECTICIDE

Revision date : 2016/07/19  
Version: 4.0

Page: 6/12  
(30599692/SDS\_CPA\_CA/EN)

Colour:	pale straw yellow	
pH value:	approx. 6 - 8 (approx. 23 °C)	
Melting point:	-95 °C	
Boiling point:	Information applies to the solvent. 56 °C ( 1,013 hPa)	
Flash point:	Information applies to the solvent. -20 °C	(Tag closed cup)
Flammability of Aerosol Products:	> 18 in	(ASTM D 3065)
NFPA 30B flammability:	Level 3 Aerosol	
Lower explosion limit:	2.2 %(V)	(air)
Upper explosion limit:	9.5 %(V)	(air)
Vapour pressure:	not applicable	
Density:	approx. 0.80 g/cm3 ( 20 °C)	
Vapour density:	not applicable	
Partitioning coefficient n-octanol/water (log Pow):	not applicable	
Thermal decomposition:	No decomposition if stored and handled as prescribed/indicated.	
Viscosity, dynamic:	not determined	
Solubility in water:	dispersible	
Evaporation rate:	not applicable	
Other Information:	If necessary, information on other physical and chemical parameters is indicated in this section.	

## 10. Stability and Reactivity

### Reactivity

No hazardous reactions if stored and handled as prescribed/indicated.

Oxidizing properties:

Based on its structural properties the product is not classified as oxidizing.

### Chemical stability

The product is stable if stored and handled as prescribed/indicated.

### Possibility of hazardous reactions

No hazardous reactions if stored and handled as prescribed/indicated.

### Conditions to avoid

Avoid all sources of ignition: heat, sparks, open flame. Avoid prolonged storage. Avoid electro-static discharge. Avoid contamination. Avoid prolonged exposure to extreme heat. Avoid extreme temperatures.

### Incompatible materials

strong bases, strong acids, strong oxidizing agents

### Hazardous decomposition products

Decomposition products:

Hazardous decomposition products: No hazardous decomposition products if stored and handled as prescribed/indicated.

# Safety Data Sheet

## PRESCRIPTION TREATMENT BRAND P.I. CONTACT INSECTICIDE

Revision date : 2016/07/19  
Version: 4.0

Page: 7/12  
(30599692/SDS\_CPA\_CA/EN)

Thermal decomposition:  
No decomposition if stored and handled as prescribed/indicated.

### 11. Toxicological information

#### Primary routes of exposure

Routes of entry for solids and liquids are ingestion and inhalation, but may include eye or skin contact. Routes of entry for gases include inhalation and eye contact. Skin contact may be a route of entry for liquefied gases.

#### Acute Toxicity/Effects

##### Acute toxicity

Assessment of acute toxicity: Relatively nontoxic after single ingestion. Slightly toxic after short-term skin contact. Relatively nontoxic after short-term inhalation.

##### Oral

Type of value: LD50

Species: rat

Value: > 5,000 mg/kg

##### Inhalation

Type of value: LC50

Species: rat

Value: > 2.04 mg/l

No mortality was observed.

##### Dermal

Type of value: LD50

Species: rat

Value: > 2,000 mg/kg

No mortality was observed.

##### Assessment other acute effects

Assessment of STOT single:

The available information is not sufficient for evaluation.

##### Irritation / corrosion

Assessment of irritating effects: May cause slight irritation to the eyes. May cause slight irritation to the skin.

##### Skin

Species: rabbit

Result: non-irritant

##### Eye

Species: rabbit

Result: non-irritant

##### Sensitization

Assessment of sensitization: Skin sensitizing effects were not observed in animal studies.

Buehler test

# Safety Data Sheet

## PRESCRIPTION TREATMENT BRAND P.I. CONTACT

### INSECTICIDE

Revision date : 2016/07/19  
Version: 4.0

Page: 8/12  
(30599692/SDS\_CPA\_CA/EN)

Species: guinea pig  
Result: Skin sensitizing effects were not observed in animal studies.

#### Chronic Toxicity/Effects

##### Repeated dose toxicity

Assessment of repeated dose toxicity: The product has not been tested. The statement has been derived from the properties of the individual components.

*Information on: 1,3-Benzodioxole, 5-[[2-(2-butoxyethoxy)ethoxy]methyl]-6-propyl-*

*Assessment of repeated dose toxicity: The substance may cause damage to the liver after repeated ingestion of high doses, as shown in animal studies. The substance may cause damage to the liver after repeated inhalation of high doses. Repeated dermal uptake of the substance did not cause substance-related effects.*

*Information on: Acetone*

*Assessment of repeated dose toxicity: The substance may cause damage to the testes after repeated ingestion of high doses, as shown in animal studies. The substance may cause damage to the hematological system after repeated ingestion of high doses. The substance may cause damage to the kidney after repeated ingestion of high doses, as shown in animal studies.*

##### Genetic toxicity

Assessment of mutagenicity: The product has not been tested. The statement has been derived from the properties of the individual components. Mutagenicity tests revealed no genotoxic potential.

##### Carcinogenicity

Assessment of carcinogenicity: The product has not been tested. The statement has been derived from the properties of the individual components. The results of various animal studies gave no indication of a carcinogenic effect.

##### Reproductive toxicity

Assessment of reproduction toxicity: The product has not been tested. The statement has been derived from the properties of the individual components.

*Information on: pyrethrum*

*Assessment of reproduction toxicity: No reproductive toxic effects reported.*

*Information on: 1,3-Benzodioxole, 5-[[2-(2-butoxyethoxy)ethoxy]methyl]-6-propyl-*

*Assessment of reproduction toxicity: The results of animal studies gave no indication of a fertility impairing effect.*

*Information on: Acetone*

*Assessment of reproduction toxicity: As shown in animal studies, the product may cause damage to the testes after repeated high exposures that cause other toxic effects.*

##### Teratogenicity

Assessment of teratogenicity: The product has not been tested. The statement has been derived from the properties of the individual components. Animal studies gave no indication of a developmental toxic effect at doses that were not toxic to the parental animals.

##### Other Information

Misuse can be harmful to health.

#### Symptoms of Exposure



# Safety Data Sheet

## PRESCRIPTION TREATMENT BRAND P.I. CONTACT INSECTICIDE

Revision date : 2016/07/19  
Version: 4.0

Page: 9/12  
(30599692/SDS\_CPA\_CA/EN)

The most important known symptoms and effects are described in the labelling (see section 2) and/or in section 11., Further important symptoms and effects are so far not known.

## 12. Ecological Information

### Toxicity

Aquatic toxicity  
Assessment of aquatic toxicity:  
Acutely toxic for fish.

The product has not been tested. The statement has been derived from the properties of the individual components. Very toxic to aquatic organisms. May cause long-term adverse effects in the aquatic environment.

#### Toxicity to fish

*Information on: pyrethrum*  
LC50 (96 h) 0.0052 mg/l, *Oncorhynchus mykiss* (static)  
LC50 (96 h) 0.01 mg/l, *Lepomis macrochirus*

*Information on: 1,3-Benzodioxole, 5-[[2-(2-butoxyethoxy)ethoxy]methyl]-6-propyl-*  
LC50 (96 h) 3.49 mg/l, *Cyprinodon variegatus* (OECD Guideline 203, Flow through.)  
The product has low solubility in the test medium. An aqueous solution prepared with solubilizers has been tested.

*Information on: Distillates (petroleum), hydrotreated light*  
LL50 (96 h) 2 - 5 mg/l, *Oncorhynchus mykiss* (OECD Guideline 203, semistatic)  
The product has low solubility in the test medium. A saturated solution has been tested. The product has not been tested. The statement has been derived from substances/products of a similar structure or composition. Nominal values (confirmed by concentration control analytics)

*Information on: Acetone*  
LC50 (96 h) 6,210 mg/l, *Pimephales promelas* (OECD 203; ISO 7346; 84/449/EEC, C.1, Flow through.)  
The statement of the toxic effect relates to the analytically determined concentration.  
LC50 (96 h) 5,540 mg/l, *Oncorhynchus mykiss* (Fish test acute, static)  
Nominal concentration.  
-----

#### Toxicity to fish

*Information on: pyrethrum*  
LC50 (96 h) 0.0052 mg/l, *Oncorhynchus mykiss* (static)  
LC50 (96 h) 0.01 mg/l, *Lepomis macrochirus*

*Information on: 1,3-Benzodioxole, 5-[[2-(2-butoxyethoxy)ethoxy]methyl]-6-propyl-*  
LC50 (96 h) 3.49 mg/l, *Cyprinodon variegatus* (OECD Guideline 203, Flow through.)  
The product has low solubility in the test medium. An aqueous solution prepared with solubilizers has been tested.  
-----

#### Aquatic invertebrates

# Safety Data Sheet

## PRESCRIPTION TREATMENT BRAND P.I. CONTACT

### INSECTICIDE

Revision date : 2016/07/19  
Version: 4.0

Page: 10/12  
(30599692/SDS\_CPA\_CA/EN)

Information on: pyrethrum  
EC50 (48 h) 0.012 mg/l, *Daphnia magna*  
EC50 (48 h) 0.0014 mg/l, *Mysidopsis bahia*

Information on: 1,3-Benzodioxole, 5-[[2-(2-butoxyethoxy)ethoxy]methyl]-6-propyl-  
EC50 (48 h) 0.51 mg/l, *Daphnia magna* (OECD Guideline 202, part 1, Flow through.)  
The product has low solubility in the test medium. An aqueous solution prepared with solubilizers has been tested.  
No observed effect concentration (28 d) 0.063 mg/l, aquatic arthropod (other)  
The details of the toxic effect relate to the nominal concentration. The product has low solubility in the test medium. An aqueous solution prepared with solubilizers has been tested. Limit concentration test only (LIMIT test).

Information on: Distillates (petroleum), hydrotreated light  
EL50 (48 h) 1.4 mg/l, *Daphnia magna* (OECD Guideline 202, part 1, static)  
The details of the toxic effect relate to the nominal concentration. The product has low solubility in the test medium. A saturated solution has been tested. The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

Information on: Acetone  
LC50 (48 h) 8,800 mg/l, *Daphnia pulex* (*Daphnia* test acute, static)  
Nominal concentration.  
LC50 (24 h) 2,100 mg/l, *Artemia salina* (*Daphnia* test acute, static)  
Nominal concentration.  
-----

#### Aquatic invertebrates

Information on: pyrethrum  
EC50 (48 h) 0.012 mg/l, *Daphnia magna*  
EC50 (48 h) 0.0014 mg/l, *Mysidopsis bahia*

Information on: 1,3-Benzodioxole, 5-[[2-(2-butoxyethoxy)ethoxy]methyl]-6-propyl-  
EC50 (48 h) 0.51 mg/l, *Daphnia magna* (OECD Guideline 202, part 1, Flow through.)  
The product has low solubility in the test medium. An aqueous solution prepared with solubilizers has been tested.  
No observed effect concentration (28 d) 0.063 mg/l, aquatic arthropod (other)  
The details of the toxic effect relate to the nominal concentration. The product has low solubility in the test medium. An aqueous solution prepared with solubilizers has been tested. Limit concentration test only (LIMIT test).  
-----

#### Aquatic plants

Information on: pyrethrum  
No toxic effects occur within the range of solubility.

Information on: 1,3-Benzodioxole, 5-[[2-(2-butoxyethoxy)ethoxy]methyl]-6-propyl-  
EC50 (72 h) 3.89 mg/l (growth rate), *Pseudokirchneriella subcapitata* (OECD Guideline 201, static)  
The product has low solubility in the test medium. An aqueous solution prepared with solubilizers has been tested.  
No observed effect concentration (72 h) 0.824 mg/l (growth rate), *Pseudokirchneriella subcapitata* (OECD Guideline 201, static)  
The product has low solubility in the test medium. An aqueous solution prepared with solubilizers has been tested.

Information on: Distillates (petroleum), hydrotreated light

# Safety Data Sheet

## PRESCRIPTION TREATMENT BRAND P.I. CONTACT

### INSECTICIDE

Revision date : 2016/07/19  
Version: 4.0

Page: 11/12  
(30599692/SDS\_CPA\_CA/EN)

*EL50 (72 h) 1 - 3 mg/l (growth rate), Pseudokirchneriella subcapitata (OECD Guideline 201, static)*  
*The details of the toxic effect relate to the nominal concentration. The product has low solubility in the test medium. A saturated solution has been tested. The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.*  
*No observed effect concentration (72 h) 1 mg/l (growth rate), Pseudokirchneriella subcapitata (OECD Guideline 201, static)*  
*The details of the toxic effect relate to the nominal concentration. The product has low solubility in the test medium. A saturated solution has been tested. The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.*

*Information on: Acetone*

*Toxic limit concentration (8 d) 530 mg/l (biomass), Microcystis aeruginosa (DIN 38412 Part 9, static)*  
*Nominal concentration.*

*Information on: propane*

*EC50 (96 h) 7.71 mg/l, algae (calculated)*

*The product has not been tested. The statement has been derived from the structure of the product.*

#### **Mobility in soil**

Assessment transport between environmental compartments

The product has not been tested. The statement has been derived from the properties of the individual components.

*Information on: pyrethrum*

*Following exposure to soil, adsorption to solid soil particles is probable, therefore contamination of groundwater is not expected.*

*Information on: Acetone*

*The substance will slowly evaporate into the atmosphere from the water surface.*  
*Adsorption to solid soil phase is not expected.*

#### **Additional information**

Other ecotoxicological advice:

Do not discharge product into the environment without control.

---

### **13. Disposal considerations**

**Waste disposal of substance:**

See product label for disposal and recycling instructions.

**Container disposal:**

Contaminated packaging should be emptied as far as possible and disposed of in the same manner as the substance/product.

---

### **14. Transport Information**

**Land transport**

# Safety Data Sheet

## PRESCRIPTION TREATMENT BRAND P.I. CONTACT INSECTICIDE

Revision date : 2016/07/19  
Version: 4.0

Page: 12/12  
(30599692/SDS\_CPA\_CA/EN)

### TDG

Hazard class: 2.1  
ID number: UN 1950  
Hazard label: 2.1, EHSM  
Proper shipping name: AEROSOLS

### Sea transport

#### IMDG

Hazard class: 2.1  
ID number: UN 1950  
Hazard label: 2.1, EHSM  
Marine pollutant: YES  
Proper shipping name: AEROSOLS

### Air transport

#### IATA/ICAO

Hazard class: 2.1  
ID number: UN 1950  
Hazard label: 2.1  
Proper shipping name: AEROSOLS, FLAMMABLE

---

## 15. Regulatory Information

### Federal Regulations

#### Registration status:

Chemical DSL, CA released / exempt

Crop Protection DSL, CA released / exempt

---

## 16. Other Information

### SDS Prepared by:

BASF NA Product Regulations

SDS Prepared on: 2016/07/19

We support worldwide Responsible Care® initiatives. We value the health and safety of our employees, customers, suppliers and neighbors, and the protection of the environment. Our commitment to Responsible Care is integral to conducting our business and operating our facilities in a safe and environmentally responsible fashion, supporting our customers and suppliers in ensuring the safe and environmentally sound handling of our products, and minimizing the impact of our operations on society and the environment during production, storage, transport, use and disposal of our products.

---

END OF DATA SHEET